

Синтаксис дополнительных плагинов Dokuwiki

Bootstrap 3

Страница плагина: <https://www.dokuwiki.org/plugin:bootswrapper>

Примеры использования возможностей:

<http://www.lotar.altervista.org/dokuwiki/wiki/plugin/bootswrapper>

Bootstrap3 нынче повсюду:

Родина это не то место где ты родился, родина это то место где ты готов построить дом и воспитать детей, и где окружающий тебя мир будет помогать тебе, ну или как минимум не мешать.

х Скоро останутся лишь две группы работников: те, кто контролирует компьютеры, и те, кого контролируют компьютеры. Постарайтесь попасть в первую. Льюис Д. Эйген

Тыкни меня

 Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquid ex ea commodo consequat. Quis aute iure reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint obcaecat cupiditat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Default Callout

This is a default callout.

Success Callout

This is a success callout.

Danger Callout

This is a danger callout.

Info Callout

This is a info callout.

Warning Callout

This is a warning callout.

Tip Callout

This is a tip callout.

Question Callout

This is a question callout.

Открывашка-группа #1

Anim pariatur cliche reprehenderit, enim eiusmod high life accusamus terry richardson ad squid. 3 wolf moon officia aute, non cupidatat skateboard dolor brunch. Food truck quinoa nesciunt laborum eiusmod. Brunch 3 wolf moon tempor, sunt aliqua put a bird on it squid single-origin coffee nulla assumenda shoreditch et. Nihil anim keffiyeh helvetica, craft beer labore wes anderson cred nesciunt sapiente ea proident. Ad vegan excepteur butcher vice lomo. Leggings occaecat craft beer farm-to-table, raw denim aesthetic synth nesciunt you probably haven't heard of them accusamus labore sustainable VHS.

Открывашка-группа #2

Anim pariatur cliche reprehenderit, enim eiusmod high life accusamus terry richardson ad squid. 3 wolf moon officia aute, non cupidatat skateboard dolor brunch. Food truck quinoa nesciunt laborum eiusmod. Brunch 3 wolf moon tempor, sunt aliqua put a bird on it squid single-origin coffee nulla assumenda shoreditch et. Nihil anim keffiyeh helvetica, craft beer labore wes anderson cred nesciunt sapiente ea proident. Ad vegan excepteur butcher vice lomo. Leggings occaecat craft beer farm-to-table, raw denim aesthetic synth nesciunt you probably haven't heard of them accusamus labore sustainable VHS.

Открывашка-группа #3

Anim pariatur cliche reprehenderit, enim eiusmod high life accusamus terry richardson ad squid. 3 wolf moon officia aute, non cupidatat skateboard dolor brunch. Food truck quinoa nesciunt laborum eiusmod. Brunch 3 wolf moon tempor, sunt aliqua put a bird on it squid single-origin coffee nulla assumenda shoreditch et. Nihil anim keffiyeh helvetica, craft beer labore wes anderson cred nesciunt sapiente ea proident. Ad vegan excepteur butcher vice lomo. Leggings occaecat craft beer farm-to-table, raw denim aesthetic synth nesciunt you probably haven't heard of them accusamus labore sustainable VHS.

Note Plugin



This is my note ! Remember it!!



Warning ! You're about to lose your mind



The clues are in the images.



Beware of the dog when you open the door !!

FlowPlayer plugin

<http://www.rtzra.ru/cigun/video/FBI-2005-FengJi.flv> 640,480 noautoPlay,autoBuffering

Wrap plugin

Examples for the Wrap Plugin

Basic syntax
 An uppercase `<W&WRAP>` (or alternatively `<block>` or `<div>`) creates a div and should be used for "big" containers, surrounding paragraphs, lists, tables, etc.

```
<W&WRAP class="width_longspace">
  Text...
</W&WRAP>
```

W&WRAP classes width_longspace
`<W&WRAP class="width_longspace">`
`<W&WRAP class="width_longspace" style="width: 100px;">`
`<W&WRAP class="width_longspace" style="width: 100px; height: 100px;">`
`<W&WRAP class="width_longspace" style="width: 100px; height: 100px; border: 1px solid black;">`

A lowercase `<w&wrap>` (or alternatively `<class>` or ``) creates a span and should be used for "small" containers, inside paragraphs, lists, tables, etc.

```
<w&wrap class="width_longspace" style="width: 100px; border: 1px solid black; color: red; font-weight: bold; font-size: 1.2em; margin-bottom: 10px; padding: 5px; text-align: center; background-color: #f0f0f0; position: relative; z-index: 1; &gt;
  Text...
</w&wrap>
```

Please note, some things work with lowercase spans:

- alignments (including alignments generated by changing the text direction)
- small columns
- and more

If the according wrap isn't floated as well,

Classes and Styles

Columns and Floats
 You can have columns easily by adding the class `columns` and a `width`, e.g.

```
<W&WRAP class="columns_2" style="width: 100%;>
  <W&WRAP class="column_1" style="width: 50%;>
    Text...
  </W&WRAP>
  <W&WRAP class="column_1" style="width: 50%;>
    Text...
  </W&WRAP>
</W&WRAP>
```

Emulated Big Headlines
 You can emulate a big headline with `bold` and `big` (or `h1` and `h2`), but it's better to use `<h1>` and `<h2>`.

```
<W&WRAP class="emulated_h1" style="font-size: 1.5em; font-weight: bold; margin-bottom: 0.5em; &gt;
  Text...
</W&WRAP>
```

Emulated Small Headline
 A smaller headline uses no underline, e.g.

```
<W&WRAP class="emulated_h2" style="font-size: 1.2em; font-weight: bold; margin-bottom: 0.5em; &gt;
  Text...
</W&WRAP>
```

If you need text to be bold and italic, apply use it the other way around:

```
<W&WRAP style="font-style: italic; font-weight: bold; margin-bottom: 0.5em; &gt;
  Text...
</W&WRAP>
```

classes, you might come across something like this, where the following text protrudes from the space where only the floating containers should:

... to prevent that, you should always add

`<W&WRAP class="nofloat">`

after your last column

You can use the same columns with spans (as you know, our spans is a block-level element), but it probably doesn't make too much sense to use them with spans. Just try to keep your columns as simple as possible, when it's floating.

Attention: Spans can change positions and will often look different and break in some browsers. If you're not a web developer, you might not understand any problems regarding the `block` mode. Just try to keep your columns in all major browsers and make your widths smaller than you visually think they should be.

All of those options will also work in the `boxes` and `notes` wraps (see below).

Multi-column

For modern browsers (Firefox, Chrome and Opera) use `cols=2` for 2 columns, `cols=3` for 3 columns, `cols=4` for 4 columns and `cols=5` for 5 columns.

Alignments
 You can use these different alignments:

• left aligned

• right aligned

• center aligned

• justify

Center aligned text ...

... and right aligned.

`<W&WRAP centeralign>
 Text...
</W&WRAP>`

You cannot add alignments to spans.

Boxes and Notes

round box 570px center
 You can create a box around the container and use the colours from the template's `style.css` as default colours (`_background_color_` and `_text_color_`).
 • `<W&WRAP style="background-color: #e6f2ff; border: 1px solid #3399cc; border-radius: 10px; padding: 10px; _background_color_: #e6f2ff; _text_color_: #3399cc;>`
 • `<W&WRAP style="background-color: #e6f2ff; border: 1px solid #3399cc; border-radius: 10px; padding: 10px; _background_color_: #e6f2ff; _text_color_: #3399cc; _background_color_2_: #d9e1f2; _text_color_2_: #3399cc;>`
 • `<W&WRAP style="background-color: #e6f2ff; border: 1px solid #3399cc; border-radius: 10px; padding: 10px; _background_color_: #e6f2ff; _text_color_: #3399cc; _background_color_2_: #d9e1f2; _text_color_2_: #3399cc; _background_color_3_: #d9e1f2; _text_color_3_: #3399cc;>`
 • `<W&WRAP style="background-color: #e6f2ff; border: 1px solid #3399cc; border-radius: 10px; padding: 10px; _background_color_: #e6f2ff; _text_color_: #3399cc; _background_color_2_: #d9e1f2; _text_color_2_: #3399cc; _background_color_3_: #d9e1f2; _text_color_3_: #3399cc; _background_color_4_: #d9e1f2; _text_color_4_: #3399cc;>`

Info `<W&WRAP info=>` **Tip** `<W&WRAP tip=>` **Important** `<W&WRAP important=>`

Alert `<W&WRAP alert=>` **Help** `<W&WRAP help=>` **Download** `<W&WRAP download=>`

Todo `<W&WRAP todo=>`

Safety Notes:

Danger `<W&WRAP danger=>` **Warning** `<W&WRAP warning=>` **Caution** `<W&WRAP caution=>`

Notice `<W&WRAP notice=>` **Safety** `<W&WRAP safety=>`

You can use `Info`, `Tip`, `Important`, `Alert`, `Help`, `Download`, `Caution` and `Safety` notes and `danger`, `warning`, `caution`, `notice` and `safety` notes like this:

`<W&WRAP info=> Info information...</W&WRAP>`

`<W&WRAP tip=> Tip tip...</W&WRAP>`

`<W&WRAP important=> Important important...</W&WRAP>`

`<W&WRAP alert=> Alert alert...</W&WRAP>`

`<W&WRAP help=> Help help...</W&WRAP>`

`<W&WRAP download=> Download download...</W&WRAP>`

`<W&WRAP caution=> Caution caution...</W&WRAP>`

`<W&WRAP safety=> Safety safety...</W&WRAP>`

`<W&WRAP danger=> Danger danger...</W&WRAP>`

`<W&WRAP warning=> Warning warning...</W&WRAP>`

`<W&WRAP caution=> Caution caution...</W&WRAP>`

`<W&WRAP notice=> Notice notice...</W&WRAP>`

`<W&WRAP safety=> Safety safety...</W&WRAP>`

`<W&WRAP download=> Download download...</W&WRAP>`

`<W&WRAP info=> Info information...</W&WRAP>`

`<W&WRAP tip=> Tip tip...</W&WRAP>`

`<W&WRAP important=> Important important...</W&WRAP>`

`<W&WRAP alert=> Alert alert...</W&WRAP>`

`<W&WRAP help=> Help help...</W&WRAP>`

`<W&WRAP download=> Download download...</W&WRAP>`

`<W&WRAP caution=> Caution caution...</W&WRAP>`

`<W&WRAP safety=> Safety safety...</W&WRAP>`

`<W&WRAP danger=> Danger danger...</W&WRAP>`

`<W&WRAP warning=> Warning warning...</W&WRAP>`

`<W&WRAP caution=> Caution caution...</W&WRAP>`

`<W&WRAP notice=> Notice notice...</W&WRAP>`

`<W&WRAP safety=> Safety safety...</W&WRAP>`

`<W&WRAP download=> Download download...</W&WRAP>`

`<W&WRAP info=> Info information...</W&WRAP>`

`<W&WRAP tip=> Tip tip...</W&WRAP>`

`<W&WRAP important=> Important important...</W&WRAP>`

`<W&WRAP alert=> Alert alert...</W&WRAP>`

`<W&WRAP help=> Help help...</W&WRAP>`

`<W&WRAP download=> Download download...</W&WRAP>`

`<W&WRAP caution=> Caution caution...</W&WRAP>`

`<W&WRAP safety=> Safety safety...</W&WRAP>`

`<W&WRAP danger=> Danger danger...</W&WRAP>`

`<W&WRAP warning=> Warning warning...</W&WRAP>`

`<W&WRAP caution=> Caution caution...</W&WRAP>`

`<W&WRAP notice=> Notice notice...</W&WRAP>`

`<W&WRAP safety=> Safety safety...</W&WRAP>`

`<W&WRAP download=> Download download...</W&WRAP>`

`<W&WRAP info=> Info information...</W&WRAP>`

`<W&WRAP tip=> Tip tip...</W&WRAP>`

`<W&WRAP important=> Important important...</W&WRAP>`

`<W&WRAP alert=> Alert alert...</W&WRAP>`

`<W&WRAP help=> Help help...</W&WRAP>`

`<W&WRAP download=> Download download...</W&WRAP>`

`<W&WRAP caution=> Caution caution...</W&WRAP>`

`<W&WRAP safety=> Safety safety...</W&WRAP>`

`<W&WRAP danger=> Danger danger...</W&WRAP>`

`<W&WRAP warning=> Warning warning...</W&WRAP>`

`<W&WRAP caution=> Caution caution...</W&WRAP>`

`<W&WRAP notice=> Notice notice...</W&WRAP>`

`<W&WRAP safety=> Safety safety...</W&WRAP>`

`<W&WRAP download=> Download download...</W&WRAP>`

`<W&WRAP info=> Info information...</W&WRAP>`

`<W&WRAP tip=> Tip tip...</W&WRAP>`

`<W&WRAP important=> Important important...</W&WRAP>`

`<W&WRAP alert=> Alert alert...</W&WRAP>`

`<W&WRAP help=> Help help...</W&WRAP>`

`<W&WRAP download=> Download download...</W&WRAP>`

`<W&WRAP caution=> Caution caution...</W&WRAP>`

`<W&WRAP safety=> Safety safety...</W&WRAP>`

`<W&WRAP danger=> Danger danger...</W&WRAP>`

`<W&WRAP warning=> Warning warning...</W&WRAP>`

`<W&WRAP caution=> Caution caution...</W&WRAP>`

`<W&WRAP notice=> Notice notice...</W&WRAP>`

`<W&WRAP safety=> Safety safety...</W&WRAP>`

`<W&WRAP download=> Download download...</W&WRAP>`

`<W&WRAP info=> Info information...</W&WRAP>`

`<W&WRAP tip=> Tip tip...</W&WRAP>`

`<W&WRAP important=> Important important...</W&WRAP>`

`<W&WRAP alert=> Alert alert...</W&WRAP>`

`<W&WRAP help=> Help help...</W&WRAP>`

`<W&WRAP download=> Download download...</W&WRAP>`

`<W&WRAP caution=> Caution caution...</W&WRAP>`

`<W&WRAP safety=> Safety safety...</W&WRAP>`

`<W&WRAP danger=> Danger danger...</W&WRAP>`

`<W&WRAP warning=> Warning warning...</W&WRAP>`

`<W&WRAP caution=> Caution caution...</W&WRAP>`

`<W&WRAP notice=> Notice notice...</W&WRAP>`

`<W&WRAP safety=> Safety safety...</W&WRAP>`

`<W&WRAP download=> Download download...</W&WRAP>`

`<W&WRAP info=> Info information...</W&WRAP>`

`<W&WRAP tip=> Tip tip...</W&WRAP>`

`<W&WRAP important=> Important important...</W&WRAP>`

`<W&WRAP alert=> Alert alert...</W&WRAP>`

`<W&WRAP help=> Help help...</W&WRAP>`

`<W&WRAP download=> Download download...</W&WRAP>`

`<W&WRAP caution=> Caution caution...</W&WRAP>`

`<W&WRAP safety=> Safety safety...</W&WRAP>`

`<W&WRAP danger=> Danger danger...</W&WRAP>`

`<W&WRAP warning=> Warning warning...</W&WRAP>`

`<W&WRAP caution=> Caution caution...</W&WRAP>`

`<W&WRAP notice=> Notice notice...</W&WRAP>`

`<W&WRAP safety=> Safety safety...</W&WRAP>`

`<W&WRAP download=> Download download...</W&WRAP>`

`<W&WRAP info=> Info information...</W&WRAP>`

`<W&WRAP tip=> Tip tip...</W&WRAP>`

`<W&WRAP important=> Important important...</W&WRAP>`

`<W&WRAP alert=> Alert alert...</W&WRAP>`

`<W&WRAP help=> Help help...</W&WRAP>`

`<W&WRAP download=> Download download...</W&WRAP>`

`<W&WRAP caution=> Caution caution...</W&WRAP>`

`<W&WRAP safety=> Safety safety...</W&WRAP>`

`<W&WRAP danger=> Danger danger...</W&WRAP>`

`<W&WRAP warning=> Warning warning...</W&WRAP>`

`<W&WRAP caution=> Caution caution...</W&WRAP>`

`<W&WRAP notice=> Notice notice...</W&WRAP>`

`<W&WRAP safety=> Safety safety...</W&WRAP>`

`<W&WRAP download=> Download download...</W&WRAP>`

`<W&WRAP info=> Info information...</W&WRAP>`

`<W&WRAP tip=> Tip tip...</W&WRAP>`

`<W&WRAP important=> Important important...</W&WRAP>`

`<W&WRAP alert=> Alert alert...</W&WRAP>`

`<W&WRAP help=> Help help...</W&WRAP>`

`<W&WRAP download=> Download download...</W&WRAP>`

`<W&WRAP caution=> Caution caution...</W&WRAP>`

`<W&WRAP safety=> Safety safety...</W&WRAP>`

`<W&WRAP danger=> Danger danger...</W&WRAP>`

`<W&WRAP warning=> Warning warning...</W&WRAP>`

`<W&WRAP caution=> Caution caution...</W&WRAP>`

`<W&WRAP notice=> Notice notice...</W&WRAP>`

`<W&WRAP safety=> Safety safety...</W&WRAP>`

`<W&WRAP download=> Download download...</W&WRAP>`

`<W&WRAP info=> Info information...</W&WRAP>`

`<W&WRAP tip=> Tip tip...</W&WRAP>`


<code

xbr Plugin

Строка 1 Стока 2 Стока 3

[синтаксис, плагинов, plugins, syntax](#)

From:
<https://wiki.rtzra.ru/> - RTzRa's hive



Permanent link:
<https://wiki.rtzra.ru/wiki/additional-plugins-syntax>

Last update: **2020/07/21 16:38**